















PRODUCTS - POWERFULL OPEN - POWERFULL B - 300 to 650 kva


Standard Electricity Generator - POWERFULL series B version with PERKINS Diesel Engine water-cooled 1500 rpm - 50 Hz and MARELLI Alternator at 400/230 Volt - three-phases with neutral

Mod.	Power				Engine Mod.	Alternator Mod.
	P.R.P.		L.T.P.			
	kVA	kW	kVA	kW		
 P 300 B	300,00	240,00	330,00	264,00	2206C-E13TAG2	MJB315SA4
 P 350 B	350,00	280,00	385,00	308,00	2206C-E13TAG2	MJB315SB4
 P 400 B	400,00	320,00	450,00	360,00	2206C-E13TAG3	MJB315MA4
 P 450 B	450,00	360,00	495,00	396,00	2506C-E15TAG1	MJB315MB4
 P 500 B	500,00	400,00	550,00	440,00	2506C-E15TAG2	MJB355SA4
 P 600 B	591,00	472,80	650,00	520,00	2806C-E18TAG1A	MJB355MA4
 P 650 B	650,00	520,00	700,00	560,00	2806A-E18TAG2	MJB355MA4

Standard Electricity Generator - POWERFULL series B version with PERKINS Diesel Engine water-cooled 1500 rpm - 50 Hz and STAMFORD Alternator at 400/230 Volt - three-phases with neutral

Mod.	Power				Engine Mod.	Alternator Mod.
	P.R.P.		L.T.P.			
	kVA	kW	kVA	kW		
 P 300 B	300,00	240,00	330,00	264,00	2206C-E13TAG2	HCI4D
 P 350 B	350,00	280,00	400,00	320,00	2206C-E13TAG2	HCI4E
 P 400 B	400,00	320,00	450,00	360,00	2206C-E13TAG3	HCI4F
 P 450 B	455,00	364,00	500,00	400,00	2506C-E15TAG1	HCI5C
 P 500 B	500,00	400,00	520,00	416,00	2506C-E15TAG2	HCI5C
 P 600 B	591,00	472,80	650,00	520,00	2806C-E18TAG1A	HCI5E
 P 650 B	650,00	520,00	700,00	560,00	2806A-E18TAG2	HCI5F

Standard Electricity Generator - POWERFULL series B version with JOHN DEERE Diesel Engine water-cooled 1500 rpm - 50 Hz and MARELLI Alternator at 400/230 Volt - three-phases with neutral





Mod.	Power				Engine Mod.	Alternator Mod.
	P.R.P.		L.T.P.			
	kVA	kW	kVA	kW		
 JD 400 B	388,00	310,40	429,00	343,20	6125HF070	MJB315MA4

Standard Electricity Generator - POWERFULL series B version with JOHN DEERE Diesel Engine water-cooled 1500 rpm - 50 Hz and STAMFORD Alternator at 400/230 Volt - three-phases with neutral





Mod.	Power				Engine Mod.	Alternator Mod.
	P.R.P.		L.T.P.			
	kVA	kW	kVA	kW		

	JD 400 B	388,00	310,40	429,00	343,20	6125HF070	HCI4F
--	----------	--------	--------	--------	--------	-----------	-------

Standard Electricity Generator - POWERFULL series B version with VOLVO-PENTA Diesel Engine water-cooled 1500 rpm - 50 Hz and MARELLI Alternator at 400/230 Volt - three-phases with neutral

Mod.	Power				Engine	Alternator
	P.R.P.		L.T.P.		Mod.	Mod.
	kVA	kW	kVA	kW		
 V 326 B	326,00	260,80	358,00	286,40	TAD941GE	MJB315SB4
V 380 B	378,00	302,40	414,00	331,20	TAD1343GE	MJB315MA4
V 415 B	410,00	328,00	450,00	360,00	TAD1344GE	MJB315MA4
V 450 B	450,00	360,00	495,00	396,00	TAD1345GE	MJB315MB4
 V 505 B	505,00	404,00	556,00	444,80	TAD1641GE	MJB355SA4
 V 570 B	570,00	456,00	625,00	500,00	TAD1642GE	MJB355SB4
 V 630 B	630,00	504,00	700,00	560,00	TWD1643GE	MJB355MA4

Standard Electricity Generator - POWERFULL series B version with VOLVO-PENTA Diesel Engine water-cooled 1500 rpm - 50 Hz and STAMFORD Alternator at 400/230 Volt - three-phases with neutral

Mod.	Power				Engine	Alternator
	P.R.P.		L.T.P.		Mod.	Mod.
	kVA	kW	kVA	kW		
 V 326 B	326,00	260,80	358,00	286,40	TAD941GE	HCI4E
V 380 B	378,00	302,40	414,00	331,20	TAD1343GE	HCI4F
V 415 B	400,00	320,00	450,00	360,00	TAD1344GE	HCI4F
V 450 B	451,00	360,80	501,00	400,80	TAD1345GE	HCI5C
 V 505 B	500,00	400,00	520,00	416,00	TAD1641GE	HCI5C
 V 570 B	550,00	440,00	590,00	472,00	TAD1642GE	HCI5D
 V 630 B	630,00	504,00	700,00	560,00	TWD1643GE	HCI5F

Standard Electricity Generator - POWERFULL series B version with FPT-IVECO Diesel Engine water-cooled 1500 rpm - 50 Hz and MARELLI Alternator at 400/230 Volt - three-phases with neutral

Mod.	Power				Engine	Alternator
	P.R.P.		L.T.P.		Mod.	Mod.
	kVA	kW	kVA	kW		
F 300 B	300,00	240,00	330,00	264,00	C10TE1D	MJB315SA4
F 350 B	350,00	280,00	385,00	308,00	C13TE2A	MJB315SB4
F 400 B	400,00	320,00	440,00	352,00	C13TE3A	MJB315MA4

Standard Electricity Generator - POWERFULL series B version with FPT-IVECO Diesel Engine water-cooled 1500 rpm - 50 Hz and STAMFORD Alternator at 400/230 Volt - three-phases with neutral

Mod.	Power				Engine	Alternator
	P.R.P.		L.T.P.		Mod.	Mod.
	kVA	kW	kVA	kW		
F 300 B	300,00	240,00	330,00	264,00	C10TE1D	HCI4D
F 350 B	350,00	280,00	385,00	308,00	C13TE2A	HCI4E

F 400 B	400,00	320,00	440,00	352,00	C13TE3A	HC14F
---------	--------	--------	--------	--------	---------	-------